

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representation of
The original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

A

Mag-4.1	LNDWFITYI
Mag-4.2	LEAWFLQYI

B




Figure 1.

C




Figure 1

Western blot analysis of N-NR1 and N-NR2A expression in Mag-4.1 cells. The blot shows two panels. The left panel, labeled 'mAb 8610', shows a strong band at approximately 80 kDa (N-NR1) and a weaker band at approximately 49 kDa (N-NR2A). The right panel, labeled 'Mag-4.1', shows a single band at approximately 80 kDa (N-NR1). Molecular weight markers are indicated on the left: 116, 80, 49, 32, and 28 kDa. Lanes are numbered 1, 2, 3, and 4.


Fig. 2

Fig. 3

A



B



C




Fig. 4

